



ResidueGas questionnaire - Danish results with focus on cover crops

The questionnaire includes different sets of questions: background (including farmer's values), current management of crop residues, possible changes in management.

Results are presented in a descriptive manner via graphs and tables, with sub-grouping for conventional and organic management.

Total number of respondents: 594 (11 % response rate), of which 84 farm according to organic management. Results in this document focus on the management of cover crops (the original survey included questions on the management of a broader range of crop residues).

Contents


| Background | 2 |
|--------------------------------------------------|----|
| General information | |
| Cropping system | |
| Cover crops | |
| Soil organic carbon and greenhouse gas emissions | |
| Current management of cover crop residues | |
| · | |
| Alternative management of cover crop residues | 24 |






Background


General information



Which soil types(s) are there in your farm?



Are you concerned about sustainable farming?



50%

25%


100%

75%





ORGANIC - CONVENTIONAL








Indicate your level of agreement with the following statements.

This aspect is important in connection to sustainable farming:

ALL





CONVENTIONAL



















STØTTET AF

This aspect is important when taking management decisions:

ALL




CONVENTIONAL










Cropping system

Specify primary cropping system


ALL




CONVENTIONAL
















Cover crops


Figures for organic management are shown where relevant.

Do you grow cover crops? If yes, which species do you use?

ALL




CONVENTIONAL











Do you grow cover crops? Split by primary cropping system:


ALL



















What is the main function of the cover crop?


ALL




CONVENTIONAL



ORGANIC



Do you have specific cover crops for cash crops?




When do you sow and terminate the cover crop?

ALL






Sow




Terminate



CONVENTIONAL


Sow


















How is the cover crop terminated?


ALL








CONVENTIONAL













Soil organic carbon and greenhouse gas emissions

Are you concerned about the status of soil organic matter in your farm?




Do you think that soil organic matter in your farm is:


ALL



ORGANIC



Do you know the soil carbon status from soil sampling/analysis?









Do you apply any of the following options to maintain or increase soil organic matter?

ALL

















Are you concerned about emissions of greenhouse gas from agriculture?

0%

ALL



25%

50%


100%

75%





Are you concerned about emissions of the greenhouse gas nitrous oxide from agriculture?










Current management of cover crop residues


What is your main management strategy for cover crop residues in your farm?

Select the appropriate choice for each residue type. The first figure reports the % of total respondents and refers to the main management option. Following figures are specific options within most relevant main management.


ALL



Cover crop residues left on the soil surface are:




Type of shallow incorporation:




Type of deep incorporation:









CONVENTIONAL






Type of shallow incorporation:



Type of deep incorporation:









STØTTET AF


ORGANIC




Cover crop residues left on the soil surface are:



Type of shallow incorporation:



Type of deep incorporation:







Alternative management of cover crop residues

If not already implemented, would you be willing to adopt the following options of cover crop management?

ALL

| | Yes | No | Already implemented | Not relevant | Maybe |
|--------------------------|-----|-----|------------------------|-----------------|-------|
| Even surface spreading | 31% | 4% | 35% | 29% | 2% |
| Removal | 11% | 43% | 5% | 38% | 4% |
| Deep incorporation | 31% | 16% | 16% | 34% | 3% |
| Nitrification inhibitors | 23% | 28% | 1% | 34% | 14% |
| Other | 4% | 12% | 2% | 72% | 10% |

CONVENTIONAL

| | Yes | No | Already | Not | Maybe |
|--------------------------|-----|-----|-------------|----------|-------|
| | | | implemented | relevant | |
| Even surface spreading | 34% | 4% | 36% | 25% | 2% |
| Removal | 12% | 44% | 5% | 36% | 3% |
| Deep incorporation | 36% | 12% | 19% | 30% | 4% |
| Nitrification inhibitors | 27% | 27% | 2% | 31% | 14% |
| Other | 4% | 12% | 2% | 72% | 11% |

| | Yes | No | Already | Not | Maybe |
|--------------------------|-----|-----|-------------|----------|-------|
| | | | implemented | relevant | |
| Even surface spreading | 24% | 5% | 30% | 38% | 4% |
| Removal | 10% | 33% | 6% | 43% | 8% |
| Deep incorporation | 18% | 19% | 14% | 46% | 2% |
| Nitrification inhibitors | 8% | 35% | 0% | 44% | 13% |
| Other | 7% | 10% | 4% | 68% | 12% |